

1 BEFORE THE ARIZONA CORPORATION COMMISSION 2 **COMMISSIONERS** 2014 MAR -3 A 11: 31 BOB STUMP, Chairman 3 **GARY PIERCE** AZ CORP COMMISSION DOCKET CONTROL ORIGINAL 4 BRENDA BURNS **BOB BURNS** 5 SUSAN BITTER SMITH 6 IN THE MATTER OF ELECTRIC ENERGY ) DOCKET NO. E-00000U-14-0049 7 EFFICIENCY STANDARDS REPORTS FOR 2014 8 **NOTICE OF FILING** DEMAND-SIDE MANAGEMENT 9 **PROGRESS REPORT FOR 2013** 10 Morenci Water and Electric Company ("MWE") submits its Demand-Side Management 11 Progress Report as required by A.A.C. R14-2-2409(A) for the 2013 calendar year (including data 12 through January 2014). 13 RESPECTFULLY SUBMITTED this 3<sup>rd</sup> day of March, 2014. 14 MORENCI WATER AND ELECTRIC COMPANY 15 16 Bv 17 son D. Gellman MOSHKA DEWULF & PATTEN, PLC. 18 One Arizona Center 19 400 East Van Buren Street, Suite 800 Phoenix, Arizona 85004 20 21 Original and thirteen copies of the foregoing filed this 3<sup>rd</sup> day of March 2014, with: 22 Arizona Corporation Commission Docket Control DOCKETED 23 ARIZONA CORPORATION COMMISSION 1200 West Washington Street MAR 0 3 2014 24 Phoenix, Arizona 85007

25

26

27

1	Copy of the foregoing hand-delivered this 3 <sup>rd</sup> day of March, 2014, to:			
2	Lyn A. Farmer, Esq.			
3	Chief Administrative Law Judge Hearing Division			
4	ARIZONA CORPORATION COMMISSION 1200 West Washington Street			
5	Phoenix, Arizona 85007			
6	Janice Alward, Esq. Chief Counsel, Legal Division			
7	ARIZONA CORPORATION COMMISSION			
8	1200 West Washington Street Phoenix, Arizona 85007			
9	Steve Olea Director, Utilities Division			
10	ARIZONA CORPORATION COMMISSION 1200 West Washington Street			
11	Phoenix, Arizona 85007			
12	Albei Amail			
13	suose pinace			
14				
15				
16				
17				
18				
19				
20				
21				
22				
23				
24				
25				
26				
27				

### Morenci Water and Electric Company

### Energy Efficiency Standard Compliance Report

### Compliance Year 2013

Morenci Water and Electric Company ("MWE") submits its Demand-Side Management ("DSM") Progress Report for the 2013 calendar year – as required by A.A.C. R14-2-2409(A). MWE was able to launch its programs in May 2013. In general, MWE has a small administrative staff and limited resources to implement the particular programs in a cost-effective manner. Unlike other utilities with personnel dedicated exclusively to implementing Energy Efficiency and Demand-Side Management programs and measures, MWE personnel have several responsibilities in addition to Energy Efficiency measures.

MWE will continue to make best efforts to encourage customer participation in the programs so that the maximum amount of savings can be achieved within MWE's service territory.

### CFL Program

MWE has given away a total of 234 CFLs to 39 customers. MWE's program is in accordance with its approved plan and basically gave away CFLs to eligible customers. MWE had determined that it would have been too complicated and not cost effective to establish the discount pricing program, as explained in its 2012 compliance report. MWE determined that it would be cost-effective to implement a CFL giveaway program by purchasing the CFL's and distributing them to our customers at the MWE office with a handout that explains the savings. The total cost of the program was \$1,311.57. MWE, to the best of its ability, has included the cost-effectiveness of the CFL program to date in the accompanying spreadsheet. The cost-benefit information is current through January 2014.

### Appliance Recycling Program

As explained in its 2012 compliance report, MWE encountered significant difficulty in securing a contractor. After significant efforts, MWE could not locate a contractor either locally (within its service territory) or in Safford to pick up the appliances. MWE was able to find a contractor based out of Phoenix willing to pick up appliances in MWE's service territory – with the assistance from SEACAP. MWE secured the contractor in May 2013, and notified customers through a bill insert.

MWE intends to monitor when appliances are to be picked up, the number of appliances recycled, and obtaining the specifications on the new and old appliances, through its contractor. To date, no customers have requested this service. One customer who had originally requested this service apparently decided to give his refrigerator to another customer. Thus, MWE has not incurred any specific program cost for the program. Therefore, there is no cost-benefit analysis done for this program.

### LIW Program

MWE has secured the assistance of SEACAP to implement this program. That was done in May 2013. But there has been no customer participation, environmental benefits or savings to this point. Thus, MWE has not incurred any specific program cost for the program. Because there has been no customer participation and no specific costs incurred, there is no cost-benefit analysis done for this program.

### **Education & Outreach Program**

MWE does not have a separate marketing department. It has provided pamphlets to 500 customers at a cost of \$280.00 through January 2014.

DSM Program	Participants	# Measures	Expenses YTD	2013 Budget
Efficient Products (CFL's)	39	234	\$1,311.57	\$3,800
Refrigerator Recycle Program	0	0	0	1,750
Low Incom Weatherization	0	0	0	\$16,500
Education & Outreach Program	N/A	500	\$280.00	\$1,050
Total	N/A	734	\$1,014	\$23,100

# COMPACT FLUORESCENT LAMP (CFL) PROGRAM

## Inputs and Assumptions

5-year average life
Eriergy Rate (per kwri) Combined kWh savings over useful life per bulb
TRC Discount Rate
SC Discount Rate

### \$0.07628 330 8.50% 5.00%

### CALCULATION

	Benej	Benefit Cost Ratio
CFLs given away		234
kWh savings (bulbs installed same year)		
kWh savings (cumulative)		15,444
Program Cost	\$	1,311.57
Avoided cost savings	\$	1,178.07
TRC Benefit	❖	1,000.72
TRC Cost	❖	1,114.12
TRC Ratio		0.90
SC Benefit (before Water Savings)	\$	1,068.54
Water Benefit at \$0.0040 per gallon	\$	19.58
Total SC Benefit	<b>⋄</b>	1,088.13
SC Cost	↔	1,189.63
SC Ratio		0.91
Net Benefits (TRC)	₩	(113.40)
Net Benefits (SC)	❖	(101.51)

	gallons Ibs <b>Ibs</b>
(113.40) (101.51)	24,478.74 0.34 6.53
	7
<b>«</b>	

Water Savings (assuming 317 gallons / MWh) SOX Savings (assuming 0.00445 lbs per MWh) NOX Savings (assuming 0.08455 lbs per MWh)